

VICKS Medicated DROPS SUGARLESS BLUE BERRY

Newly designated quasi-
drugs

Products for the oral
cavity and throat

Indication

hoarse voice due to throat inflammation, rough throat, throat discomfort, sore throat, and swollen throat.
Sterilization, disinfection, washing in the oral cavity and removal of mouth odor

Dosage and administration

Put one each of the following amounts up to 2 pieces in your mouth, and do not chew but let it dissolve slowly.
Adults (15 years or over) and children aged 5 years or over: 2 pieces per dose, 3 to 6 times daily
Under 5 years: Do not use
Use the drug at an interval of at least 2 hours.* When using this drug, suck one piece each. Do not use 2 pieces at a time.

[Precaution]

Comply with the prescribed dosage and administration instructions.
When allowing children to use the medicine, a guardian must be present to watch and tell such them how to use it.
Do not crunch or swallow the product.

ingredient and amount

In 12 piece
Cetylpyridinium chloride 6.0mg

Excipients

Syrup reduction
D-Mannitol
New coccine
Brilliant blue
Silicone resin emulsion
Aspartame (L- phenylalanine compound)
Citric acid
Vitamin C
l-Menthol
Talc
Flavoring
Benzyl benzoate
Vanillin

Precautions

Consultation

The following persons should consult a physician, dentist or pharmacist before using the drug.
Patients undergoing medical treatment from a physician or dentist.
Pregnant women or women suspected of being pregnant.
Persons who or whose family members have an allergic predisposition
Persons who have had an allergic symptom to drugs
In the following cases, immediately discontinue this drug, and consult your physician, dentist or pharmacist. Be sure to show this product.
If the following symptoms occur after using this drug
Skin : rash/redness,itching
When symptoms do not improve even after using the medicine for a week

Precautions for storage and handling

Avoid direct sunlight, and store the product in a cool place with little humidity.
Store the product beyond the reach of children.
Do not transfer the drug to other containers. (It may lead to misuse or quality deterioration)
The drug easily gets moist; therefore, once you open the package, fold up the opening of the bag to store it.
Do not take the product past the expiration date.

【Disclaimer on Multilingual OTC Product Information】

- This product is a pharmaceutical product approved under a Japanese law, the Law for Ensuring the Quality, Efficacy and Safety of Drugs and Medical Devices, with a view to its sale and use in Japan.
- Multilingual product information is a translation of the product labeling written in Japanese and provided for your information only. It does not warrant that its contents and the product itself conforms to laws and regulations in countries other than Japan.
- Multilingual product information is a tentative translation by the provider (or Our Company), and may be modified or altered without notice.
- The provider (or Our Company) assumes no responsibility for any occurred problem attributable to the contents of the multilingual product information.